

Count	Description
1	<p data-bbox="225 338 427 365"><b>NBS 025-095/6.06</b></p>  <p data-bbox="619 629 1062 656">Product photo could vary from the actual product</p> <p data-bbox="225 663 488 689">Product No.: <a href="#">92560110</a></p> <p data-bbox="225 750 1428 801">The pumps are non-self-priming, single-stage, centrifugal volute pumps with axial inlet port, radial outlet port and horizontal shaft.</p> <p data-bbox="225 808 1377 860">The pump has a back pull-out design enabling removal of the motor, motor stool, cover and impeller without disturbing the pump housing or pipework.</p> <p data-bbox="225 866 1386 896">All pumps are according to ISO 5199 standards, adjusted for American dimensions on pump and its flanges.</p> <p data-bbox="225 925 1417 976">Inlet and outlet flanges are according to ASME 16.1/16.42. Dimensions and rated performance are according to 175/363 PSI (12/25 bar).</p> <p data-bbox="225 1014 940 1041">The mechanical shaft seal has dimensions according to EN 12756.</p> <p data-bbox="225 1070 1372 1122">Motors are with main dimensions to NEMA standards. The pumps can be equipped with an MLE motor with integrated frequency converter or connected to a Grundfos CUE external frequency converter.</p>



Company name:



Created by:

Phone:

Date:

12/19/2021

### 92560110 NBS 025-095/6.06 AASG6S2ESBQQEFY6 60 Hz







Company name:

Created by:

Phone:

Date:

12/19/2021

Description	Value
Country of origin:	US

